

A11101 294880

NAT'L INST OF STANDARDS & TECH R.I.C.




A11101294880

/Bulletin of the Bureau of Standards

QC1 .U5 V1:1904-5 C.1 NBS-PUB-C 1905

Div VII 2 IX



INDEX TO VOLUME 1.

A.

- Absolute measurement of capacity, *E. B. Rosa* and *F. W. Grover*, 153.
 Absolute measurement of inductance, *E. B. Rosa* and *F. W. Grover*, 125.
 Alternating currents and electrical waves, Detector for small, *L. W. Austin*, 435.
 Analysis of alternating current curves, 138.
 Anderson's method, Measurement of inductance by, using alternating currents and a vibration galvanometer, *E. B. Rosa* and *F. W. Grover*, 291.
 Announcement, 4.
 Arc, On the temperature of the, *C. W. Waidner* and *G. K. Burgess*, 109.
Austin, L. W., Detector for small alternating currents and electrical waves, 435.
 The positive charges carried by the canal rays, 439.

B.

- Black body, 194.
 Brunner comparator, 11.
Burgess, G. K., Radiation from platinum at high temperatures, 443.
Burgess, G. K., *C. W. Waidner* and, On the temperature of the arc, 109.
 Optical pyrometry, 189.

C.

- Canal rays, The positive charges carried by the, *L. W. Austin*, 439.
 Capacity, The absolute measurement of, *E. B. Rosa* and *F. W. Grover*, 153.
 Charges carried by the canal rays, The positive, *L. W. Austin*, 439.
 Clinical thermometers, The testing of, *C. W. Waidner* and *L. A. Fischer*, 275.

- Condensers and circuits of low power factor, Wattmeter methods of measuring power expended upon, *E. B. Rosa*, 383.
 Coulometer, The silver, *K. E. Guthe* (*see also* Voltameter), 349.

D.

- Detector for small alternating currents and electrical waves, *L. W. Austin*, 435.

E.

- Elastic properties, On fibers resembling quartz in their, *K. E. Guthe*, 101.
 Electrical units, The so-called international, *Frank A. Wolff*, 39.
 Electrical waves, Detector for small alternating currents and, *L. W. Austin*, 435.
 Electrochemical equivalent of silver, 34.

F.

- Féry pyrometer, 224-238.
 Fibers resembling quartz in their elastic properties, *K. E. Guthe*, 101.
Fischer, L. A., Recomparison of the United States prototype meter, 5.
 History of standard weights and measures of United States, 365.
Fischer, L. A., *C. W. Waidner* and, The testing of clinical thermometers, 275.
 Five-thousand volt generator set, *P. G. Nutting*, 449.

G.

- Galvanometer, vibration, Measurement of inductance by Anderson's method, using alternating currents and a, *E. B. Rosa* and *F. W. Grover*, 291.

Gas and metal spectra from electrically conducting gases, The relative intensities of, *P. G. Nutting*, 399.

Gases:

The relative intensities of metal and gas spectra from electrically conducting, *P. G. Nutting*, 399.

The spectra of mixed, *P. G. Nutting*, 77.

Some new rectifying effects in conducting, *P. G. Nutting*, 95.

Generator set, A 5,000-volt, *P. G. Nutting*, 449.

Grover, F. W., E. B. Rosa and, The absolute measurement of capacity, 153.

The absolute measurement of inductance, 125.

Measurement of inductance by Anderson's method, using alternating currents and a vibration galvanometer, 291.

Use of serpentine in standards of inductance, 337.

Guthe, K. E., A study of the silver voltmeter, 21.

On fibers resembling quartz in their elastic properties, 101.

The silver coulometer, 349.

H.

Hemispherical intensities, mean spherical and, On the theory of the Matthews and the Russell-Léonard photometers for the measurement of, *E. P. Hyde*, 255.

High temperatures, Radiation from platinum at, *G. K. Burgess*, 443.

History of standard weights and measures of United States, *L. A. Fischer*, 365.

Holborn-Kurlbaum pyrometer, 233.

Hyde, E. P., On the theory of the Matthews and the Russell-Léonard photometers for the measurement of mean spherical and mean hemispherical intensities, 255.

The use of white walls in a photometric laboratory, 417.

Hydrogen scale of temperature, 278.

I.

Inductance:

The absolute measurement of, *E. B. Rosa* and *F. W. Grover*, 125.

Measurement of, by Anderson's method, using alternating currents and a vibration galvanometer, *E. B. Rosa* and *F. W. Grover*, 291.

Use of serpentine in standards of, *E. B. Rosa* and *F. W. Grover*, 337.

Influence of wave form on the rate of integrating induction wattmeters, *E. B. Rosa, M. G. Lloyd*, and *C. E. Reid*, 421.

Integrating induction wattmeters, Influence of wave form on the rate of, *E. B. Rosa, M. G. Lloyd*, and *C. E. Reid*, 421.

International electrical units, The so-called, *Frank A. Wolff*, 39.

L.

Laboratory, photometric, The use of white walls in a, *E. P. Hyde*, 417.

Lava fibers, 102.

Le Chatelier pyrometer, 214.

Legal definitions of electrical units: Austria, 74; Belgium, 76; Canada, 69; France, 75; Germany, 72; Great Britain, 65; Switzerland, 76; United States, 61.

Lloyd, M. G., E. B. Rosa, and *C. E. Reid*, Influence of wave form on the rate of integrating induction wattmeters, 421.

Low power factor, Wattmeter methods of measuring power expended upon condensers and circuits of, *E. B. Rosa*, 383.

M.

Matthews and the Russell-Léonard photometers for the measurement of mean spherical and mean hemispherical intensities, On the theory of the, *E. P. Hyde*, 255.

Mean spherical and mean hemispherical intensities, On the theory of the Matthews and the Russell-Léonard photometers for the measurement of, *E. P. Hyde*, 255.

- Measurement of capacity, The absolute, *E. B. Rosa and F. W. Grover*, 153.
- Measurement of frequency, 144.
- Measurement of inductance, The absolute, *E. B. Rosa and F. W. Grover*, 125.
- Measurement of inductance by Anderson's method, using alternating currents and a vibration galvanometer, *E. B. Rosa and F. W. Grover*, 291.
- Measuring power expended upon condensers and circuits of low power factor, Wattmeter methods of, *E. B. Rosa*, 383.
- Mesuré and Nouel's pyrometric telescope, 225.
- Metal and gas spectra from electrically conducting gases, The relative intensities of, *P. G. Nutting*, 399.
- Meter, United States prototype, Recomparison of the, *L. A. Fischer*, 5.
- Metric system, 373.
- Mixed gases, The spectra of, *P. G. Nutting*, 77.
- Morse thermo-gage, 237.

N.

- Nutting, P. G.*, A 5,000-volt generator set, 449.
- On secondary spectra and the conditions under which they may be produced, 83.
- Some new rectifying effects in conducting gases, 95.
- The relative intensities of metal and gas spectra from electrically conducting gases, 399.
- The spectra of mixed gases, 77.

O.

- Optical pyrometry, *C. W. Waidner and G. K. Burgess*, 189.

P.

- Photometers for the measurement of mean spherical and mean hemispherical intensities, On the theory of the Matthews and the Russell-Léonard, *E. P. Hyde*, 255.

- Photometric laboratory, The use of white walls in a, *E. P. Hyde*, 417.
- Platinum, Radiation from, at high temperatures, *G. K. Burgess*, 433.
- Positive charges carried by the canal rays, *L. W. Austin*, 439.
- Power expended upon condensers and circuits of low power factor, Wattmeter methods of measuring, *E. B. Rosa*, 383.
- Prototype meter, United States, Recomparison of the, *L. A. Fischer*, 5.
- Pyrometry, Optical, *C. W. Waidner and G. K. Burgess*, 189.

Q

- Quartz, On fibers resembling, in their elastic properties, *K. E. Guthe*, 101.

R.

- Radiation from platinum at high temperatures, *G. K. Burgess*, 443.
- Recomparison of the United States prototype meter, *L. A. Fischer*, 5.
- Rectifying effects, some new, in conducting gases, *P. G. Nutting*, 95.
- Reid, C. E., E. B. Rosa, and M. G. Lloyd*, Influence of wave form on the rate of integrating induction wattmeters, 421.
- Relative intensities of metal and gas spectra from electrically conducting gases, *P. G. Nutting*, 399.
- Rosa, E. B.*, Wattmeter methods of measuring power expended upon condensers and circuits of low power factor, 383.
- Rosa, E. B., and F. W. Grover*, The absolute measurement of capacity, 153.
- The absolute measurement of inductance, 125.
- Measurement of inductance by Anderson's method, using alternating currents and a vibration galvanometer, 291.
- Use of serpentine in standards of inductance, 337.

Rosa, E. B., M. G. Lloyd, and C. E. Reid,
Influence of wave form on the rate
of integrating induction wattmeters, 421.

Russell-Léonard photometers, On the
theory of the Matthews and the,
for the measurement of mean
spherical and mean hemispherical
intensities, E. P. Hyde, 255.

S.

Secondary spectra and the conditions
under which they may be pro-
duced, P. G. Nutting, 83.

Serpentine, Use of, in standards of in-
ductance, E. B. Rosa and F. W.
Grover, 337.

Silver coulometer, K. E. Guthe, 349.

Silver voltameter, A study of the, K. E.
Guthe, 21.

Spectra:

Of mixed gases, P. G. Nutting, 77.

On secondary, and the conditions
under which they may be pro-
duced, P. G. Nutting, 83.

The relative intensities of metal and
gas, from electrically conducting
gases, P. G. Nutting, 399.

Standard weights and measures of United
States, History of, L. A. Fischer, 365.

Standards of inductance, Use of serpen-
tine in, E. B. Rosa and F. W.
Grover, 337.

Steatite fibers, 102.

Study of the silver voltameter, K. E.
Guthe, 21.

T.

Temperature of the arc, On the, C. W.
Waidner and G. K. Burgess, 109.

Testing of clinical thermometers, C. W.
Waidner and L. A. Fischer, 275.

Theory of the Matthews and the Russell-
Léonard photometers for the mea-
surement of mean spherical and
mean hemispherical intensities,
E. P. Hyde, 255.

Thermometers, Testing of clinical, C. W.
Waidner and L. A. Fischer, 275.

U.

United States prototype meter, Recom-
parison of the, L. A. Fischer, 5.

Units, The so-called international elec-
trical, Frank A. Wolff, 39.

Use of serpentine in standards of induct-
ance, E. B. Rosa and F. W. Grover,
337.

Use of white walls in a photometric lab-
oratory, E. P. Hyde, 417.

V.

Vibration galvanometer, Measurement of
inductance by Anderson's method,
using alternating currents and a,
E. B. Rosa and F. W. Grover, 291.

Voltameter, A study of the silver, K. E.
Guthe (see also Coulometer), 21.

W.

Waidner, C. W., and G. K. Burgess, On
the temperature of the arc, 109.

Optical pyrometry, 189.

Waidner, C. W., and L. A. Fischer, The
testing of clinical thermometers,
275.

Wanner pyrometer, 226.

Wattmeter methods of measuring power
expended upon condensers and cir-
cuits of low power factor, E. B.
Rosa, 383.

Wattmeters, Influence of wave form on
the rate of integrating induction,
E. B. Rosa, M. G. Lloyd, and C. E.
Reid, 421.

Wave form, Influence of, on the rate of
integrating induction wattmeters,
E. B. Rosa, M. G. Lloyd, and C. E.
Reid, 421.

Waves, electrical, Detector for small alter-
nating currents and, L. W. Austin,
435.

Weights and measures of United States,
History of standard, L. A. Fischer,
365.

Wolff, Frank A., The so-called interna-
tional electrical units, 39.

AUTHOR

Bulletin of the
Bureau of Standards

TITLE

Vol. 1

DATE

BORR

